

**ADDENDUM No. 5
TO APPROVED PLANS AND SPECIFICATIONS
September 18, 2008**



Re: Letting of September 19, 2008

ADDENDUM

<u>No.</u>	<u>CN/PROJECT No.</u>	<u>COUNTY</u>	<u>ISSUE DATE</u>
1.	G1436AR/AC-GRIP-(NH)-040-2(68)126 G1436BR/AC-GRIP-(NH)-040-2(68)126	Cibola Cibola	9/4/08
2.	G3625/WA-NH-285-1(33)250 4100020/HSIP-025-5(107)301 G1036C/AC-GRIP-(IM)-040-1(133)53 G1036D/AC-GRIP-(IM)-040-1(133)53 G7022A/AC-GRIP-TC-062-1(3) G7022B/AC-GRIP-TC-062-1(3)	Torrance, San Miguel & Santa Fe Santa Fe & San Miguel McKinley McKinley Eddy Eddy	9/11/08
3.	G3625/WA-NH-285-1(33)250 4080/HSIP-025-4(135)243 D4087/EBE-TPA-044-1(14)11 3269/EBS-0003-5(11)66 G7022/AC-GRIP-TC-062-1(3)	Torrance, San Miguel & Santa Fe Sandoval Harding San Miguel Eddy	9/15/08
4.	4080/HSIP-025-4(135)243	Sandoval	9/17/08
5.	G3625/WA-NH-285-1(33)250	Torrance, San Miguel & Santa Fe	9/18/08

G3625/WA-NH-285-1(33)250 - Attachment

YOU ARE HEREBY ADVISED OF THE FOLLOWING:

A schedule for Miscellaneous Paving has been incorporated into this contract. Quantities for Miscellaneous Paving are for Contractors Information Only and shall be used for the construction of guardrail pads. The **attached** Schedule for Miscellaneous Paving (9/18/08) is for your information and inclusion into your contract assembly.

**Rhonda G. Faught, Secretary
New Mexico Department of Transportation**

RGF:JM

MISCELLANEOUS PAVING

CN G3625

(For Information Only)

9/18/2008

REF. MB	STA.	OFFSET	TO	STA.	OFFSET	MISCELLANEOUS PAVING SQ. YD.
UNIT I, METAL BARRIER						
	1532+03.00	RT.	"	1534+03.00	RT.	95.78
	1538+19.75	RT.	"	1540+07.25	RT.	90.92
	1533+12.50	LT.	"	1534+00.00	LT.	52.03
	1538+95.00	LT.	"	1541+07.50	LT.	100.64
UNIT II, METAL BARRIER						
	1584+85.00	RT.	"	1586+85.00	RT.	95.78
	1590+91.00	RT.		1592+91.00	RT.	95.78
	1651+84.59	RT.	"	1654+22.09	RT.	110.36
	1658+21.54	RT.		1660+71.54	RT.	115.22
	1667+39.63	RT.	"	1669+77.13	RT.	110.36
	1673+15.29	RT.		1676+02.79	RT.	129.81
	1682+50.00	RT.	"	1689+62.50	RT.	295.08
	1696+95.00	RT.	"	1704+07.50	RT.	295.08
	1730+02.51	RT.	"	1732+27.51	RT.	105.50
	1736+15.78	RT.		1738+78.28	RT.	120.08
	1744+50.00	RT.	"	1751+62.50	RT.	295.08
	1761+81.45	RT.	"	1763+68.95	RT.	90.92
	1767+06.30	RT.		1769+06.30	RT.	95.78
	1782+74.22	RT.	"	1784+49.22	RT.	86.06
	1788+50.95	RT.		1790+25.95	RT.	86.06
	1791+12.50	RT.	"	1798+00.00	RT.	285.36
	1585+21.50	LT.	"	1587+59.00	LT.	110.36
	1592+78.00	LT.	"	1593+90.50	LT.	61.75
	1652+35.53	LT.	"	1654+85.53	LT.	115.22
	1658+85.45	LT.	"	1661+22.95	LT.	110.36
	1667+96.76	LT.	"	1671+09.26	LT.	139.53
	1674+47.66	LT.	"	1676+97.66	LT.	115.22
	1683+12.50	LT.	"	1690+62.50	LT.	309.67
	1697+20.00	LT.	"	1704+95.00	LT.	319.39
	1730+63.52	LT.	"	1733+26.02	LT.	120.08
	1737+13.99	LT.	"	1739+38.99	LT.	105.50
	1745+12.50	LT.	"	1752+62.50	LT.	309.67
	1763+02.98	LT.	"	1765+02.98	LT.	95.78
	1768+50.79	LT.	"	1770+63.29	LT.	100.64
	1783+61.09	LT.	"	1785+48.59	LT.	90.92
	1789+48.35	LT.	"	1791+10.85	LT.	81.19
	1792+00.00	LT.	"	1798+87.50	LT.	285.36
UNIT III, METAL BARRIER						
	1835+37.50	RT.	"	1842+87.50	RT.	309.67
	1856+12.50	RT.	"	1862+50.00	RT.	265.92
	1864+35.00	RT.	"	1870+85.00	RT.	270.78
	1870+85.00	RT.	"	1876+10.00	RT.	222.17
	1926+12.50	RT.	"	1933+00.00	RT.	285.36
	1933+88.01	RT.	"	1935+25.51	RT.	71.47
	1942+61.74	RT.	"	1942+99.24	RT.	32.58
	1990+75.00	RT.	"	1997+37.50	RT.	275.64
	2065+53.29	RT.	"	2066+90.79	RT.	71.47
	2070+53.13	RT.	"	2071+28.13	RT.	47.17
	2071+78.43	RT.	"	2072+15.93	RT.	32.58

REF. MB	STA.	OFFSET	TO	STA.	OFFSET	MISCELLANEOUS PAVING SQ. YD.
	2075+53.20	RT.	"	2077+28.20	RT.	86.06
	2127+83.22	RT.	"	2129+58.22	RT.	86.06
	2133+11.17	RT.	"	2134+98.67	RT.	90.92
	2183+22.68	RT.	"	2184+60.18	RT.	71.47
	2187+96.53	RT.	"	2189+59.03	RT.	81.19
	2207+84.50	RT.	"	2209+59.50	RT.	86.06
	2212+99.02	RT.	"	2214+99.02	RT.	95.78
	2235+63.00	RT.	"	2237+63.00	RT.	95.78
	2241+01.34	RT.	"	2243+13.84	RT.	100.64
	2255+73.43	RT.	"	2257+60.93	RT.	90.92
	2261+01.11	RT.	"	2262+88.61	RT.	90.92
	2286+25.00	RT.	"	2292+87.50	RT.	275.64
	2335+25.59	RT.	"	2337+50.59	RT.	105.50
	2340+89.92	RT.	"	2343+77.42	RT.	129.81
	2410+46.44	RT.	"	2412+21.44	RT.	86.06
	2415+98.54	RT.	"	2418+23.54	RT.	105.50
	2428+27.78	RT.	"	2429+77.78	RT.	76.33
	2433+19.23	RT.	"	2435+06.73	RT.	90.92
	2440+18.90	RT.	"	2442+18.90	RT.	95.78
	2445+70.45	RT.	"	2448+20.45	RT.	115.22
	2453+27.62	RT.	"	2454+90.12	RT.	81.19
	2458+29.29	RT.	"	2460+16.79	RT.	90.92
	2468+27.10	RT.	"	2469+52.10	RT.	66.61
	2472+90.90	RT.	"	2474+40.90	RT.	76.33
MB - 1	2495+11.21	RT.	"	2501+98.71	RT.	295.08
MB - 2	2507+38.48	RT.	"	2514+25.98	RT.	295.08
MB - 3	2524+45.78	RT.	"	2532+08.28	RT.	333.97
MB - 4	2559+39.11	RT.	"	2565+64.11	RT.	275.64
	2583+94.78	RT.	"	2585+32.28	RT.	71.47
	2588+73.95	RT.	"	2590+48.95	RT.	86.06
	2628+21.37	RT.	"	2635+21.37	RT.	290.22
	2625+00.00	RT.	"	2630+50.00	RT.	231.89
	2636+45.52	RT.	"	2638+20.52	RT.	86.06
	2641+63.89	RT.	"	2643+63.89	RT.	95.78
	2644+02.19	RT.	"	2646+02.19	RT.	95.78
	2648+93.76	RT.	"	2651+43.76	RT.	115.22
	2678+99.83	RT.	"	2681+12.33	RT.	100.64
	2683+98.48	RT.	"	2686+48.48	RT.	115.22
	2696+28.13	RT.	"	2697+78.13	RT.	76.33
	2700+81.56	RT.	"	2703+06.56	RT.	105.50
	2768+56.21	RT.	"	2770+06.21	RT.	76.33
	2772+96.53	RT.	"	2775+21.53	RT.	105.50
	2776+87.24	RT.	"	2778+49.74	RT.	81.19
	2781+42.62	RT.	"	2783+05.12	RT.	81.19
	2820+16.82	RT.	"	2822+16.82	RT.	95.78
	2825+81.52	RT.	"	2827+94.02	RT.	100.64
	2832+25.00	RT.	"	2838+75.00	RT.	270.78
	2849+95.38	RT.	"	2851+45.38	RT.	76.33
	2854+48.87	RT.	"	2856+36.37	RT.	90.92
	2856+92.16	RT.	"	2859+17.16	RT.	105.50
	2862+20.10	RT.	"	2865+32.60	RT.	139.53
	2871+25.00	RT.	"	2877+75.00	RT.	270.78
	2919+74.20	RT.	"	2921+86.70	RT.	100.64
	2923+88.64	RT.	"	2928+88.64	RT.	212.44

REF. MB	STA.	OFFSET	TO	STA.	OFFSET	MISCELLANEOUS PAVING SQ. YD.
	2939+12.50	RT.	"	2946+00.00	RT.	285.36
	2957+50.20	RT.	"	2959+25.20	RT.	86.06
	2962+14.06	RT.	"	2964+64.06	RT.	115.22
	2966+98.33	RT.	"	2968+98.33	RT.	95.78
	2971+99.76	RT.	"	2974+62.26	RT.	120.08
	2991+80.76	RT.	"	2994+30.76	RT.	115.22
	2997+33.32	RT.	"	2999+33.32	RT.	95.78
	3006+72.68	RT.	"	3008+60.18	RT.	90.92
	3011+76.22	RT.	"	3014+51.22	RT.	124.94
	3019+16.03	RT.	"	3020+91.03	RT.	86.06
	3023+79.38	RT.	"	3026+04.38	RT.	105.50
	3036+77.30	RT.	"	3039+52.30	RT.	124.94
	3041+54.33	RT.	"	3043+54.33	RT.	95.78
	3043+05.82	RT.	"	3045+30.82	RT.	105.50
	3049+17.52	RT.	"	3051+80.02	RT.	120.08
	1836+12.50	LT.	"	1843+62.50	LT.	309.67
	1856+50.00	LT.	"	1863+75.00	LT.	299.94
	1865+10.00	LT.	"	1871+97.50	LT.	285.36
	1869+75.00	LT.	"	1877+00.00	LT.	299.94
	1927+25.00	LT.	"	1933+75.00	LT.	270.78
	1934+80.88	LT.	"	1937+43.38	LT.	120.08
	1944+80.80	LT.	"	1945+18.30	LT.	32.58
	1991+50.00	LT.	"	1998+37.50	LT.	285.36
	2065+49.99	LT.	"	2068+37.49	LT.	129.81
	2071+87.81	LT.	"	2072+37.81	LT.	37.44
	2072+81.03	LT.	"	2073+18.53	LT.	32.58
	2076+55.41	LT.	"	2078+42.91	LT.	90.92
	2128+83.00	LT.	"	2130+70.50	LT.	90.92
	2134+18.29	LT.	"	2135+93.29	LT.	86.06
	2183+97.43	LT.	"	2185+72.43	LT.	86.06
	2189+08.80	LT.	"	2190+83.80	LT.	86.06
	2208+73.30	LT.	"	2210+73.30	LT.	95.78
	2214+12.89	LT.	"	2215+87.89	LT.	86.06
	2236+73.08	LT.	"	2238+73.08	LT.	95.78
	2242+12.67	LT.	"	2244+00.17	LT.	90.92
	2256+85.96	LT.	"	2258+73.46	LT.	90.92
	2262+15.18	LT.	"	2263+90.18	LT.	86.06
	2287+12.50	LT.	"	2293+75.00	LT.	275.64
	2335+82.39	LT.	"	2338+82.39	LT.	134.67
	2342+22.67	LT.	"	2344+47.67	LT.	105.50
	2411+35.46	LT.	"	2413+60.46	LT.	105.50
	2417+36.14	LT.	"	2419+11.14	LT.	86.06
	2428+79.21	LT.	"	2431+16.71	LT.	110.36
	2436+52.86	LT.	"	2436+90.36	LT.	32.58
	2440+97.12	LT.	"	2443+59.62	LT.	120.08
	2447+10.15	LT.	"	2449+10.15	LT.	95.78
	2453+89.26	LT.	"	2456+26.76	LT.	110.36
	2459+64.52	LT.	"	2461+64.52	LT.	95.78
	2469+65.88	LT.	"	2470+90.88	LT.	66.61
	2474+29.50	LT.	"	2475+29.50	LT.	56.89
MB - 5	2495+50.77	LT.	"	2502+00.77	LT.	280.50
MB - 6	2507+90.97	LT.	"	2515+40.97	LT.	319.39
MB - 7	2525+08.28	LT.	"	2532+70.78	LT.	333.97
MB - 8	2559+63.85	LT.	"	2566+13.85	LT.	285.36

REF. MB	STA.	OFFSET	TO	STA.	OFFSET	MISCELLANEOUS PAVING SQ. YD.
	2584+23.72	LT.	"	2586+73.72	LT.	115.22
	2590+16.16	LT.	"	2590+28.66	LT.	22.86
	2597+16.15	LT.	"	2599+78.65	LT.	120.08
	2602+83.83	LT.	"	2605+21.33	LT.	110.36
	2625+75.00	LT.	"	2631+75.00	LT.	251.33
	2637+42.71	LT.	"	2639+80.21	LT.	110.36
	2643+25.87	LT.	"	2644+88.37	LT.	81.19
	2644+86.72	LT.	"	2647+49.22	LT.	120.08
	2650+40.33	LT.	"	2652+40.33	LT.	95.78
	2679+83.35	LT.	"	2682+95.85	LT.	139.53
	2685+88.85	LT.	"	2687+38.85	LT.	76.33
	2697+31.67	LT.	"	2699+44.17	LT.	100.64
	2702+46.58	LT.	"	2704+09.08	LT.	81.19
	2769+53.64	LT.	"	2771+53.64	LT.	95.78
	2774+44.51	LT.	"	2775+94.51	LT.	76.33
	2778+04.58	LT.	"	2779+92.08	LT.	90.92
	2782+96.17	LT.	"	2784+21.17	LT.	66.61
	2821+43.06	LT.	"	2823+68.06	LT.	105.50
	2827+36.57	LT.	"	2829+11.57	LT.	86.06
	2833+25.00	LT.	"	2839+75.00	LT.	270.78
	2850+95.79	LT.	"	2852+83.29	LT.	90.92
	2855+92.36	LT.	"	2857+42.36	LT.	76.33
	2857+44.46	LT.	"	2860+69.46	LT.	144.39
	2863+72.62	LT.	"	2866+10.12	LT.	110.36
	2872+00.00	LT.	"	2878+87.50	LT.	285.36
	2920+46.42	LT.	"	2922+96.42	LT.	115.22
	2924+11.80	LT.	"	2929+61.80	LT.	231.89
	2940+37.50	LT.	"	2946+62.50	LT.	261.06
	2958+01.54	LT.	"	2960+76.54	LT.	124.94
	2963+68.90	LT.	"	2965+43.90	LT.	86.06
	2967+84.04	LT.	"	2970+46.54	LT.	120.08
	2973+50.30	LT.	"	2975+50.30	LT.	95.78
	2993+84.94	LT.	"	2995+84.94	LT.	95.78
	2998+87.62	LT.	"	3000+50.12	LT.	81.19
	3007+36.27	LT.	"	3010+11.27	LT.	124.94
	3013+28.83	LT.	"	3015+03.83	LT.	86.06
	3020+15.10	LT.	"	3022+40.10	LT.	105.50
	3025+28.36	LT.	"	3027+03.36	LT.	86.06
	3037+25.71	LT.	"	3039+13.21	LT.	90.92
	3041+18.40	LT.	"	3043+18.40	LT.	95.78
	3043+32.07	LT.	"	3045+69.57	LT.	124.94
	3049+55.70	LT.	"	3052+18.20	LT.	134.67
UNIT I TOTAL =						
USE =						339.36
UNIT II TOTAL =						
USE =						4882.94
UNIT III TOTAL =						
USE =						26073.31